



GST Leaching System

37" Series

Product Name	Dimensions (W x H)	Effective Leaching Credit (SF/LF)	Center to Center Spacing (feet)	Storage Volume Gallons per LF
GST 3706	37" x 6"	3.6	8	3.05
GST 3712	37" x 12"	5.9	10	6.11
GST 3718	37" x 18"	8.2	10	9.16
GST 3724	37" x 24"	10.5	12	12.22
GST 3730	37" x 30"	12.9	12	15.27
GST 3736	37" x 36"	15.2	12	18.32

62" Series

Product Name	Dimensions (W x H)	Effective Leaching Credit (SF/LF)	Center to Center Spacing (feet)	Storage Volume Gallons per LF
GST 6206	62" x 6"	5.9	12	4.52
GST 6212	62" x 12"	10.0	12	9.23
GST 6218	62" x 18"	14.0	13	13.84
GST 6224	62" x 24"	18.1	13	18.45
GST 6230	62" x 30"	22.1	13	23.06
GST 6236	62" x 36"	26.2	13	27.68

Stone and Sand Volume Guide

37" Series

Product Name	Amount of DOT No. 6 ¾" Stone Required	Amount of ASTM C-33 Sand Required
	Yards per. Linear Foot	
GST 3706	0.16	0.18
GST 3712	0.19	0.25
GST 3718	0.22	0.32
GST 3724	0.25	0.39
GST 3730	0.28	0.46
GST 3736	0.31	0.53

62" Series

Product Name	Amount of DOT No. 6 ¾" Stone Required	Amount of ASTM C-33 Sand Required
	Yards per Linear Foot	
GST 6206	0.20	0.25
GST 6212	0.27	0.35
GST 6218	0.35	0.46
GST 6224	0.43	0.56
GST 6230	0.50	0.66
GST 6236	0.58	0.76

NOTE: Amount, of stone calculated to fill form and to provide 6" over GST to accommodate distribution pipe. Installer is responsible for ordering additional necessary stone to account for spillage, etc. **STONE MUST BE WASHED & CLEAN!**

NOTE: Amount of sand calculated to fill the form, a base of 4" and a 4" perimeter around the form. Installer is responsible for ordering additional sand for larger and/or irregularly shaped excavations, to account for spillage, etc. **MUST MEET ASTM C-33 SPEC.**

114 Mill Rock Road East – Old Saybrook, CT 06475
Phone: 860-510-0730 – Fax: 860-510-0735

Geomatrix products are manufactured under one or more of the following U.S. patents; 6,485,647, 6,726,401, 6,814,866, 6,887,383, 6,923,905, 6,959,882, 6,969,464, 7,157,011, 7,309,434, 7,351,005, 7,374,670, 7,465,390, 7,744,759 - April 2011 All rights reserved